

Lites 16 fp

16x10w RGBW full pixel

Lites s.r.l.
Simply LED to innovation



The Lites16 fp is the ultimate 16x10W RGBW OSTAR LED batten featuring full pixel, DMX and or ready RDM Protocols. Smooth colour mixing ensures full hue saturation of light across the illuminated surface therefore Lites16fp is recommended for architectural applications as well as for other illumination sectors. The individual and separate power supply makes installation more convenient for those who have limited room.

Technical specifications

Power Supply: 100 – 240 V ~ 50/60Hz auto-setting (single-phase)

Maximum power consumption 160 W

Stand-by power consumption 5 W

cos Ø 0,98

Minimum room temperature: -10°C

Maximum room temperature: 35°C

Construction: Black/Silver extruded anodized aluminium body,
Convenient and Adjustable yoke facility. Tempered glass

Light source: 16x10W RGBW Osram Ostar LED's (only white on request) 16 million colors

Collimator angle: 17°

Led life 50.000 Hrs (see manufacturer's specifications)

Protection grade: IP20

Working position: any

Data Protocols: DMX 512, and-or RDM ready

Power connectors: Neutrik IN – OUT power con connectors

Data connectors: IN – OUT Neutrik XRL 5

User's interface: 4 digit display and 4 keys

Default Presets and set-up automatic programs available

Control of led frequency: selection of led frequency refresh

8 operation modes

Net weight: 9,5 kg

Packed weight: 11 kg

Physical dimensions: 1000x180x76 mm

Pack volume 0,012 m³

Compliant to :



Data provided are informative only and not binding. Values data and other information may be changed without notice.